



**MEETING POSTING
IN ACCORDANCE WITH THE PROVISIONS OF MGL 30A §§ 18-25**

PARKS COMMISSION

April 27, 2023

Board/Cmte Name

Date of Notice

140 Worcester St.

Land Use Meeting Room #120

Meeting Place

Conference Rm. No.

7:00 PM / May 2, 2023

Lynne Townsend

Date/Time of Meeting

Clerk of Board or Bd. Member Signature

Meeting canceled/Postponed to: _____

Date of cancelation/Postponement _____

Notices and agendas are to be posted 48 hours in advance of the meetings excluding Saturdays, Sundays, and legal holidays. Please note the hours of the Town Clerk's Office to ensure that your posting has satisfied this requirement.

List of the topics that the chair reasonably anticipates will be discussed at the meeting below and submit to the Town Clerk. Use additional sheets if required.

Agenda

- **Minutes to approve**
- **Community Input**
- **Permit Requests/Outstanding Fees & Insurance Certs**
- **DPW Director / Parks Facility Maintenance**
 - > Fence & netting maintenance
 - > Aeration, vibration, overseeding
 - > Townsend field
 - > New items / DPW Director
- **New Business**
 - > Softball shed
- **Old Business**
 - > PFC projects – Mixer
 - > Sr. Baseball field – dugout roofs
 - > AP concession stand
- **Committee Updates**
- **Any other topics not reasonably anticipated at posting this meeting**
- **Members' Requests**
- **Meeting Dates**
- **Adjourn**
- **Treasurer's report, Bills to approve**
- **Recreation Director**
 - > Sr. Baseball field - irrigation
 - > Irrigation pump
 - > Tree on common
 - > Other outstanding items
 - > Recreation
 - > Pride Park
 - > 3rd Base Dugout Gate HS Field

If you need reasonable accommodations to participate in the public meeting, contact the Town Administrator, Jennifer Warren Dyment at ada@westboylston-ma.gov or (774) 261-4088 in advance of the meeting. While the municipality will do its best to accommodate you, certain accommodations require the hiring of outside contractors who may not be readily available if requested immediately before the meeting.